

L Number	Hits	Search Text	DB	Time stamp
-	3920	(717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:38
-	23540	((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:41
-	622	((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:50
-	189	(encod\$4 or compact\$4) near3 ((symbol\$1 or variable\$1) adj3 (name\$1 or identif\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:43
-	17161	((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105 or @rlfd<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:19
-	3114	((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:52
-	482	((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105 or @rlfd<=19991105)) and (((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:55
-	519	(symbol\$1 or variable\$1) near4 ((encoded or compressed or compacted or reduced) adj4 (format or size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 08:55
-	4	((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105 or @rlfd<=19991105)) and (((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105))) and ((symbol\$1 or variable\$1) near4 ((encoded or compressed or compacted or reduced) adj4 (format or size)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:21
-	187	((encod\$4 adj3 (names or symbol\$1))) and (compil\$7 same code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:20
-	3	(pars\$4 same (encod\$4 adj3 (names or symbol\$1))) and (compil\$7 same ((source adj2 file) or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:27

-	25	(((((encod\$4 adj3 (names or symbol\$1))) and (compil\$7 same code)) and (((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105 or @rlfd<=19991105))) or (((encod\$4 adj3 (names or symbol\$1))) and (compil\$7 same code)) and (((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:54	✓
-	10	(encod\$4 near4 ((text adj2 string) or (symbol adj2 name\$1))) and ((reduc\$4 or optimi\$7) near4 (storage or size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:58	✓
-	101	(RLE or "run length encoding") and (compiler\$1 or linker\$1 or (optimi\$7 same compil\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 08:54	✓
-	520	(symbol\$1 or variable\$1) near4 ((encoded or compressed or compacted or reduced) adj4 (format or size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:59	
-	1106	((data or variable\$1 or symbol\$1) near4 (compaction or compression or encod\$4)) and (compiler\$1 same (code or translat\$4 or link\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:11	
-	168	((((data or variable\$1 or symbol\$1) near4 (compaction or compression or encod\$4)) and (compiler\$1 same (code or translat\$4 or link\$4))) and ((differential adj3 encod\$4) or (length near4 encod\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:34	
-	8033	((non-different\$5 and different\$4) or ((full or differential) adj2 length)) near4 encod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:19	
-	17163	((((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105 or @rlfd<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:20	
-	13	((differential adj3 encod\$4) and (compil\$5 same symbols))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 13:32	✓
-	7	((US-5551020-\$ or US-4931928-\$ or US-5930508-\$ or US-6240409-\$ or US-6055273-\$ or US-5969647-\$ or US-5874907-\$ or US-5768592-\$ or US-5659753-\$ or US-5511159-\$ or US-5291583-\$ or US-4567464-\$ or US-5182709-\$ or US-6163811-\$ or US-6023761-\$ or US-5986707-\$ or US-6463521-\$ or US-6457173-\$ or US-6356950-\$ or US-6021275-\$ or US-5812850-\$ or US-5764987-\$ or US-5613117-\$ or US-6442680-\$ or US-6145069-\$ or US-5629770-\$).did. or (US-20010013093-\$).did.) and (((variable\$1 or symbol\$1) near3 length) same encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:08	✓
-	172	compiler\$1 and ((encrypt\$5 same decrypt\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:59	

-	500	compiler\$1 and ((encod\$5 same decod\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:34	
-	175	((compiler\$1 and ((encrypt\$5 same decrypt\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1))) or (compiler\$1 and ((encod\$5 same decod\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1)))) and ((differential adj3 encod\$4) or (length near4 encod\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:35	
-	112	((compiler\$1 and ((encrypt\$5 same decrypt\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1))) or (compiler\$1 and ((encod\$5 same decod\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1)))) and ((differential adj3 encod\$4) or (length near4 encod\$4)) and (@ad<=19991105 or @rlfd<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:35	
-	19	((compiler\$1 and ((encrypt\$5 same decrypt\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1))) or (compiler\$1 and ((encod\$5 same decod\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1)))) and ((differential adj3 encod\$4) or (length near4 encod\$4)) and (@ad<=19991105 or @rlfd<=19991105)) and (object-oriented or container\$1 or (name adj space))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:01	✓
-	4	((delta near5 encod\$4) same (symbol\$1 or data)) and (compiler\$1 and object-oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:03	✓
-	4	(compress\$5 near4 (object adj3 file)) same compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:58	✓
-	9	(compress\$5 adj3 (algorithm or information)) near4 (object near5 file\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:42	✓
-	12	(encod\$4 adj3 (variable\$1 or symbol\$1)) and (extended adj2 format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/14 10:24	✓
-	100	(encod\$4 adj3 (variable\$1 or symbol\$1 or data)) and (extended adj2 format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/14 10:27	✓
-	14	(Huffman adj3 encoding) and (percent near6 compression)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/14 15:31	✓
-	16	(delta near3 encod\$5) and ((percent or "%") near4 (size or compression))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/14 15:32	✓